

CUMULATIVE INDEX
VOLUME 6 (1963)

THE
HISTORY OF THE
CITY OF BOSTON
FROM 1630 TO 1880
BY
JOHN H. COOPER

CUMULATIVE INDEX

Boldface type shows inclusive page numbers of chapters or extensive discussion.

A **Abortion**

- accidental
 - preceding radical hysterectomy, 955-956
- alternatives to, 856
- criminal, 823, 854, 855, 856, 863
- deaths due to, 833, 852
- habitual, emotional aspects of, 658-660
- induced, as aspect of rejection of pregnancy, 641-643
- legalized, 854-855
- septic, 853-856
 - treatment of, 854
- social problems of, 689
- therapeutic, 883, 1033
- threatened, hypnosis in, 508-509
- Abruptio placentae**, 930
 - as cause of obstetric death, 830, 834-835
- Achondroplasia** with hydrocephaly, 459
- Actinomyces bovis** in cervix, 325-326
- Adair-Meyer theory** of cervical erosions, 349-350
- Adenoma**, cervical, during pregnancy, 385, 387
- Adnexal torsion**, pelvic pain in, 705-706
- Adrenalin**, administration of, during labor, 878
 - for incompetent cervix, 408
- Air embolism**, 863-866
 - caused by knee-chest exercises, 866
 - incidence in pregnancy, 864-866
 - contributing factors, 864
 - and intrauterine manipulations and, 864
 - and intravaginal douching, 864
 - and negative intravenous pressure, 864
- Alcohol injection**
 - for dysmenorrhea, 754-762
 - in parametrium, 760-761
 - in pelvic plexus, 754-762
 - anatomy, 756-758
 - rationale, 754-756
 - results, 761-762
 - technique, 758-760
 - for pain of pelvic cancer, 738
 - for pain of vulvar cancer, 737
 - for severe pelvic pain. *See* Subarachnoid alcohol
- Aldosterone**, placental synthesis of, 87-88
- Aldridge modification**, urethral sling operation, 209-210
- Allergy** in newborn, 560-561
- Amebiasis** of cervix, 378
- Amenorrhea**, hypnosis in, 508
- Amnesia** (hypnotic), 500
- Amniotic fluid**
 - in fetal airways, 547
 - sampling in fetomaternal exchange, 40-42
 - steroid transfer through, 69-71
- Amniotic fluid embolism**, 866-867
- Analgesia**
 - in childbirth, 670-674 *passim*
 - in pelvic malignancy, 736, 738-740
 - uterine, 736
 - in pregnancy, hypnosis in, 499-504
 - procedures for producing, 499-501
- Anatomy, urinary**, 133-145
- Androgens**, placental synthesis of, 83-84
- Anemia** in pregnancy, 617, 630-631, 890-891
- Anencephalus**, 429-453
 - associated conditions, 431-435
 - fetal, 431-433
 - maternal, 433-435
 - complications of, 446-447
 - description, 430-431
 - diagnosis, 435-446
 - pelvic examination, 445-446
 - physical signs, 437-440
 - presentation, 440
 - X-rays, 440-445
 - incidence, 429-430
 - management, 447-451
- Anesthesia**
 - as cause of maternal mortality, 874-878
 - due to aspiration, 875, 877

Pages 1-252, March issue; pages 253-524, June issue; pages 525-810, September issue; pages 811-1063, December issue.

- due to failure to watch patient, 876-877, 878
 - due to faulty pre-anesthetic judgment, 874-875, 878
 - due to improper use of other drugs, 875-877, 878
 - general, 946
 - spinal
 - as cause of maternal mortality, 876
- Animal experiments in fetomaternal gas exchange, 47-48
- Anoxia
 - fetal, 545
 - muscular, pelvic pain in, 698-699
- Antepartum care, 826
- Antibiotics, 851
- Anticholinergics in control of enuresis, 144
- Anxiety of pregnancy, 644-647
- Ascorbic acid in pregnancy, 607
- Asphyxia, fetal, 545
- Atrial septal defects, and maternal mortality, 882
- Atypism, cervical, 357-364
- Autohypnosis, 502-504, 769-774 *passim*
- B**ackache in pregnancy, 637
- Bacterial endocarditis, as cause of maternal death, 859
- Bacteroides* in cervix, 321-322
- Barium enema, 1006
- Basal-cell hyperactivity of cervix during pregnancy, 386
- Bed-wetting. *See* Enuresis
- Biopsy of cervix, 336, 339-342, 361-362
 - importance of, 956-957
 - inadequate, 953
 - method, 340-342, 945-946
 - conization, 946, 948
 - punch biopsy, 945-946
 - step-biopsy, 341, 361
- Biochemistry of fetomaternal steroids, 64-65
- Bladder in micturition, 134-139, 148, 157-158
- Bleeding in pregnancy
 - gingival, 632
 - vaginal, 631-632
- Blood
 - count, neonatal, 552-554
 - red cells, 553
 - white cells, 553-554
- groups in newborn, 560
- vessels, alteration of
 - pelvic pain in, 699
- Breast secretions during pregnancy, 638
- Breech presentation in hydrocephaly, 481-482
- C**alcium needs in pregnancy, 606
- Caloric requirements during pregnancy, 607-610
- Calymmatobacterium granulomatis* in cervix, 322
- Cancer
 - associated with pregnancy, 925-1036
 - biliary tract
 - during pregnancy, 1004-1005
 - bladder
 - during pregnancy, 1010, 1011, 1018, 1019
 - breast, 1028
 - during pregnancy, 994-1001
 - effect of x-ray therapy on, 994
 - incidence, relating to age, 996-997
 - relating to axillary involvement, 997-998
 - influence of lactation upon, 995-996
 - cervix
 - pain of, 731-736
 - during pregnancy, 594-600, 885, 925-1036
 - detection through cytology, 594-598
 - cytomorphology, 596-597
 - in first trimester, 943-948
 - early diagnosis, 944-946
 - treatment, 946-948
 - by exenteration, 947-948
 - by hysterectomy, 947, 952
 - by radiotherapy, 947, 951-952
 - incidence of, 594-596, 950-951
 - management, 597-600, 925
 - in second trimester, 949-963
 - rarity of, 949-950
 - surgical cure of, 955
 - treatment of, 961-962
 - Stage I, 947, 965, 967, 968
 - Stage II, 948, 965, 967, 968
 - Stage III, 948, 965, 969
 - Stage IV, 947-948, 965, 969

- surgical treatment of, 969-974
 - in third trimester, 964-974
 - fetal considerations, 966-968
 - treatment of, 964, 966-973
 - by cesarian section, 966-968, 973
 - by radiation, 968, 973-974
 - by surgery, 969, 972, 974
 - in the puerperium, 975-981
 - complications, 980
 - differential diagnosis, 978-979
 - early detection of, 978
 - pathology, 975-977
 - symptoms, 978
 - treatment, 979-980
 - radiotherapy, 979
 - with urinary incontinence, surgery for, 236-246
- colon
 - during pregnancy, 1002-1004
 - with spontaneous abortion, 1003
- epidermoid, 977
- esophagus
 - during pregnancy, 1004
- gastrointestinal and biliary tract
 - during pregnancy, 1002-1009
 - incidence of, 1008
- genital tract
 - during pregnancy, 1031
- ovary
 - bilateral, 987-988
 - unilateral, 987, 988
 - pain of, 737
 - pain of, pelvic, 730-741
 - anatomy, 730-731
 - cervix, 731-736
 - ovary, 737
 - subarachnoid alcohol, 784-788
 - treatment, 738-740
 - uterus, 736
 - vulva, 736-737
 - during pregnancy, 983-993, 1029
 - diagnosis, 983-985
 - early in pregnancy, 983-984
 - at laparotomy, 984-985
 - incidence, 983
 - management, 985-989
 - general principles, 985-986
 - prognosis, 985-986
 - treatment, 988-989
- rectum
 - during pregnancy, 1002-1003, 1005-1008
- renal
 - during pregnancy, 1011-1015, 1018
 - pathology, 1012-1015
 - symptoms, 1012-1015, 1018
 - treatment and results, 1012-1015, 1020-1021
- urinary tract
 - during pregnancy, 1010-1025
 - differential diagnosis, 1019
 - incidence, 1016-1017
 - treatment, 1020-1021
 - ureterectomy, 1020
- uterus
 - pain of, 736
- vagina
 - during pregnancy, 935-941
 - case reports, 938-940
 - treatment and prognosis, 940-941
- vulva
 - discovery at delivery, 932-933
 - during pregnancy, 927-935
 - age incidence, 927-928
 - in first trimester, 930
 - in second trimester, 930-931
 - in third trimester, 931-932
 - management of, 933-935
 - method of delivery, 930, 931, 935
 - pain of, 736-737
 - postpartum diagnosis, 933
 - pregnancy following therapy for, 928-929
- Candida albicans*. See *Eumycetes*
- Carbohydrates in cervical mucus, 309
- Carbon dioxide tension in fetomaternal blood, 49-50
- Carcinogenesis, 1021
- Carcinoma. See Cancer
- Carcinoma in situ, 961
 - cervical, 944-945, 1030, 1031
 - during pregnancy, 598-600, 961
 - in the puerperium, 944, 975-982
 - treatment of, 980-981
- Cardiac arrest, 876
- Cardiac disease, and maternal mortality, 879, 880, 881-883, 895
- Caseosa in fetal airways, 547
- Catholic church, opinion on radical hysterectomy, 954

- Cerebral hemorrhage, in toxemia, 844-845, 868-869
- Cerebrospinal fluid, aspiration of, in hydrocephaly, 475-478
- Cervicitis
 nonspecific, chronic, 366-370
 diagnosis, 368-370
 symptoms, 366-368
 treatment, 370
 specific, chronic, 370-379
 amebiasis, 378
 chancroid, 378-379
 granuloma inguinale, 375-377
 lymphogranuloma venereum, 377
 schistosomiasis, 371-373
 syphilis, 377-378
 tuberculosis, 374-375
 warts, 370-371
- Cervix, benign, 263-423
Actinomyces bovis in, 325-326
 adenoma during pregnancy, 385, 387
 anatomy, 413-414
 atresia and stenosis, treatment, 415
 atypism, 357-364
 diagnosis, 357-362
 biopsy, 361-362
 cytology, 358-360
 examination of cervix, 358-359
 in pregnancy, 362-363
 biopsy of, 336, 339-342, 361-362
 chronic lesions, 365-380
 colpomicroscopy, 342-343
 colposcopy, 342
 cytology, 337-339
 Papanicolaou reports, 338
 ectocervix, epithelium, during pregnancy, 386
 ectropion of, during pregnancy, 384
 endocervix
 cyclic changes in, 305-306
 electron microscopy, 285-292
 light microscopy, 270-273
 physiology, 305-315
 epithelium of, 267-299
 erosions of, 344-356
 histopathology, 345-346
 etiology, 348
 histogenesis, 348-354
 Adair-Meyer theory, 349-350
 Ruge and Veit theory, 348
 two-stage theory, 350-354
 management, 354-355
Eubacteriales in, 319-325
Bacteroides, 321-322
Calymmatobacterium, 322
Corynebacterium, 324
Haemophilus, 322
Lactobacillus, 324-325
Mycobacterium, 325
Neisseria, 320-321
Staphylococcus, 319-320
Streptococcus, 320
Vibrio, 323
Eumycetes (*Candida albicans*) in, 326-327
 evaluation of, 334-343
 biopsy, 339-342
 cytology, 337-339
 colpomicroscopy, 342-343
 colposcopy, 342
 history-taking, 335-337
 pelvic examination, 336
 cytologic smear, 336-337
 Schiller's test, 339
 fine structure of, *See* Histology of cervix
 helminths in, 328-329
 histology, 265-304
 hyperplasia during pregnancy, 387-390
 incompetent os, 403-412
 junction between portio externa and endocervix, 270-273
 microbiology, 316-333
 mucus, 269, 295, 305-311
 carbohydrates in, 309
 composition, 308
 crystallization of, 311
 electrolytes in, 309
 lipids in, 309
 proteins in, 308
 spinnbarkeit, 310
 tests, 311-314
 volume, 307
Mycoplasma *hominis* in, 319
 obstetric lacerations, repair, 418-421
 pelvic examination of, 336
 polypoid tumors, 414-415
 portio externa
 under electron microscopy, 273-284
 under light microscopy, 267-273
 in pregnancy, 381-402
 cytologic alterations, 391-394

- diagnosis of lesions, 394-397
 infections, significance of, 397-399
 management of lesions, 399-400
 physiologic changes, 383-391
 protozoa (*Trichomonas vaginalis*) in, 327-328
 rickettsiales in, 318-319
 Chlamydia, 318
 Miyagawanella, 318-319
 Schiller's test of, 334, 339
 spirochaetales (*Treponema pallidum*) in, 326
 squamous epithelium of portio externa, 267-270
 stump, removal of, 418, 420
 surgery, 413-423
 hysterostomy, 422
 obstetric lacerations, 418-421
 removal of stump, 418, 420
 trachelectomy, 416-418, 419
 trachelorrhaphy, 415-416, 417
 viruses in, 316-318
 cytomegalovirus, 316-317
 virus of condyloma acuminatum, 317-318
 virus of herpes simplex, 317
 Cervix
 malignant
 detection during pregnancy, 594-600
 pain of
 hip, 731-732
 low back, 732-733
 prognosis, 735-736
 stages of, 734-735
 and uterus, denervation of, for pain relief, 742-753
 Cesarean section, 929, 930, 935, 937, 1013, 1014
 for anencephaly, 450-451
 Chancroid, cervical, 378-379
 Childbirth preparation programs, 670-683
 exercises, 677-680
 labor, 680-683
 lectures, 676-677
Chlamydia oculogenitale in cervix, 318
 Chordotomy
 for pelvic pain, 784
 in malignancy, 738-739
 Chorio-amnion, osmosis across, 42-44
 Chorion, smooth muscle in, 29-30
 Chromatin in cervical epithelium, 281
 Circulation, fetal, 549-551
 extra-cardiac shunts, 551
 heart, state of, 550-551
 intra-arterial measurements, 550
 placental blood, retrieval of, 551
 Cirrhosis, 886-887
 Cleft palate with anencephalus, 432, 445
 Cleidotomy for anencephalics, 449, 451
 Collagen in cervical epithelium, 281, 287, 299
 Colpomicroscopy of cervix, 342-343
 Colposcopy of cervix, 342, 978
 Condyloma acuminatum in cervix, 317-318
 during pregnancy, 396
 Congenital aneurysms, rupture of, 867-868
 Congenital defects, maternal, family history of, 565-566
 Conization of cervix, 946, 948
 Constipation during pregnancy, 629
 Contraction of placental muscle, 26-38
 in chorion, 33
 in villus, 33, 34
 Contraceptives, 855
 Coronary artery thrombosis, 871-872
 Cortisone therapy for total urinary incontinence, 237-238
Corynebacterium pseudodiphtheriticum in cervix, 324
 Craniorachischisis with anencephaly, 437, 445
 Craniotomy in hydrocephalic delivery, 478-479
 Cushing's syndrome, and pregnancy, 889
 Cystocele and stress incontinence, 189-190
 Cytohormonal evaluation in pregnancy, 575-594
 Cytology
 cervical, 337-339
 alterations during pregnancy, 391-394
 in cervical atypism, 358-361
 during pregnancy, 573-603
 abnormal cell pattern, 579-584
 cervical cancer, 594-600
 detection, 594-598
 management, 598-600
 estrogen administration, 585-588

- hormonal evaluation, 575-594
 - prognostic significance of, 592-594
- normal cell pattern, 579-584
 - eosinophilic index, 580-581
 - karyopyknotic index, 580-581
 - technique, 573-575, 576-578
 - forms used, 578
- Cytomegalovirus in cervix, 316-317
- Cytoplasm in cervical epithelium, 283, 289, 295, 299
- Cytoscopy, 1018, 1023
- D**ehypnotizing, 503-504
- Denervation, uterine, for pelvic pain, 742-753
 - anatomy, 743-744
 - effects, neurovascular and neuromuscular, 747-750
 - indications, 744
 - results, 750-752
 - technique, 744
 - laparotomy, 747
 - per vaginam, 745-747
- Dental care in pregnancy, 619-626
 - repairs, 621-625
 - anesthesia, 624-625
 - X-rays, 624
- Desmosomes in cervical epithelium, 281-294 *passim*
- Diabetes
 - maternal, effects on fetus, 557-558
 - and pregnancy, history of, 563, 565, 888-889
- Dicoumarol, as fetal hazard, 863
- Diet in pregnancy, 605, 610-612
- Digestive tract, fetal, 554-555
 - gastrointestinal musculature, 555
 - meconium as sign of fetal distress, 555
- Direct obstetric deaths, responsibility for, 830-831
- Dissociation (hypnotic), 499
- Diversion (hypnotic), 500
- Dribbling, 129-131
 - involuntary urination, 130-131
 - ischuria paradoxica, 129-130
 - posturinary incontinence, 131
- Drugs
 - hypertensive
 - and secondary hemorrhage, 869-870
 - improper use during anesthesia, 877
- Ductus arteriosus
 - and maternal mortality, 882
- Dührssen's incisions. *See* Hysterostomy
- Dysmenorrhea, 718-729, 754-762
 - alcohol injection, 754-762
 - extrinsic, 727-728
 - hypnosis in, 507
 - intrinsic, 718-726
 - diagnosis, 722
 - etiology, 719-721
 - incidence, 718-719
 - management, 723-726
 - pathology, 722-723
 - prognosis, 723
 - symptoms, 721-722
 - membranous, 722-723, 726-727
 - nasal, 728
 - stilbestrol for, 725
 - surgery for, 725-726
- Dysplasia, cervical, in the puerperium, 976
- Dystocia
 - in anencephaly, 446
 - in hydrocephaly, 462-463
- E. coli** with incompetent cervix, 409
- Eclampsia, 906
 - and interruption of pregnancy, 907
- Ectopic pregnancy, 830, 832, 833
 - as cause of maternal mortality, 832-834, 840
- Electron microscopy, cervical, 273-304
 - endocervix, 285-292
 - portio externa, 273-284
- Embolism, 861-867
 - air embolism, 861, 866
 - amniotic fluid embolism, 866-867
 - nonseptic thrombus embolism, 861-863
 - pulmonary, 862
- Emotions of pregnancy, 639-668
 - anxieties, 644-646
 - among primitive peoples, 646-647
 - iatrogenic, 646
 - previous childbirth, 645-646
 - family, effect on, 662-664
 - father, effect on, 664
 - fetus, effect on, 662-663
 - food cravings, 647-648
 - labor, effect on, 660-662
 - mood changes, 649-650

- mother-baby relation, 663-664
 physical factors, 652
 psychosomatic disorders, 652-662
 abortion, 658-660
 general complaints, 652-655
 nausea and vomiting, 654-656
 preeclampsia, 656-658
 rejection of baby, 639-643
 abortion, 641-643
 adaptation of feelings, 643
 career, 640-641
 health of mother, 641
 sociologic factors, 639-640
 severe emotional disorders, 650-652
 sexual desire, 648-649
 Endocervicitis during pregnancy, 384
 Endocervix
 cyclic changes in mucosa, 305-306
 electron microscopy of, 285-292
 light microscopy of, 270-273
 physiology, 305-315
 during pregnancy, 385
 Endocrine therapy, 558-559
 for dysmenorrhea, 725
 for maternal diabetes, effects on fetus, 557-559
 for maternal thyroid disease, 558
 Endometriosis
 cervical, during pregnancy, 396-397
 pain with, 709-717
 associated conditions, 712, 713
 complications of, 710-711
 incidence, 709
 mechanism of, 711-713
 prognosis, 715
 therapy, 713-715
 types of, 710-711
 Enovid for dysmenorrhea, 725
 Enuresis, 128
 cause and treatment, 139-145
 Eosinophilic index in pregnancy, 580-581
 Episiotomy, 930, 937
 Epispadias, and sling operation, 207-208
 Epithelium, cervical, 267-299
 basement membrane in, 281-299
 passim
 endoplasmic reticulum in, 293
 endothelial cells in, 299
 fibroblasts in, 279, 289, 299
 glycogen in, 269, 284
 intercellular space, 281, 282, 284, 289
 lymphocytes in, 287
 microvilli in, 289, 295
 mitochondria in, 281-299 *passim*
 paranuclear vacuoles, 291
 plasma membrane in, 281, 289, 292
 prickle-cell layer, 282-292
 "RNP granules," 281-299 *passim*
 terminal bars in, 295
 tonofibrils in, 282, 284, 292
 tonofilaments in, 282, 283, 285, 289, 292
 Erosions of cervix, 344-356
 two-stage theory, 350-354
 Erythrocytes, neonatal, 553
 Estrogens
 fetomaternal exchange of, 64-65
 major human types, 64
 in placenta, 63
 metabolism of, 86
 synthesis of, 84-86
 steroid sulfatase, 85-86
 in pregnancy, cytologic effects, 585-588
 Eubacterialis in cervix, 319-325
 Eumycetes (*Candida albicans*) in cervix, 326-327
 Exomphalos with hydrocephaly, 458
F
 Fetomaternal exchange, 17-25, 39-46
 aspiration of placental pool, 40
 gas, 47-56
 acid-base metabolism in, 48-49
 carbon-dioxide tension in, 49-50
 steroids, 62-75
 placental, 65-68
 routes of, 63
 umbilical cord blood, 40-42
 Fetus
 dental defects of, 625-626
 development of, 544-561
 allergy in, 560
 blood count, 552-554
 blood groups, 560
 circulation, 549-551
 digestive tract, 554-555
 endocrine glands, 556-559
 hemorrhagic states in, 554
 infections in, 559-560
 kidneys, 556
 metabolism, 552
 respiration, 544-549

- steroids in
 - conjugation and hydrolysis in amniotic fluid, 69-71
 - placental transfer, 65-68
 - routes of, 63
- Fibrinogen in newborn, 554
- Fibroblasts in endocervix, 279, 289, 299
- Fibromuscular formation in human placenta, 27
- Food plan in pregnancy, 610-612
- Forceps in delivery of hydrocephalic, 473
- Frigidity, hypnosis in, 506
- G**as, fetomaternal exchange, 47-56
- Gastritis during pregnancy, 628-629
- Gastroenterologic causes of pelvic pain, 707-708
- Glove anesthesia, 499, 763-774 *passim*
- Glucocorticoids, placental synthesis of, 87-88
- Glycogen in cervical epithelium, 269, 284
- Gonococcus infections, cervical, during pregnancy, 395
- Granuloma inguinale, cervical, 375-377 during pregnancy, 396
- M***aemophilus* in cervix, 322-323
 - H. ducreyi*, 323
 - H. vaginalis*, 322-323
- Hair loss during pregnancy, 638
- Half desmosomes in cervical epithelium, 281, 287, 289
- Harelip
 - with anencephalus, 432, 445
 - with hydrocephaly, 458
- Headaches during pregnancy, 637
- Heart, fetal, state of, 550-551
- Helminths (schistosomes) in cervix, 328-329
 - Echinococcus granulosis*, 329
 - Enterobius vermicularis*, 329
- Hematuria, as sign of renal cancer, 1018
- Hemoglobin, neonatal, 553
- Hemorrhage
 - as a cause of maternal mortality, 825-841, 844, 905
 - caused by rupture of uterus, 830, 840
 - due to delay in transfusion, 832
 - due to inadequate blood bank facilities, 832
 - hospital responsible for, 831
 - incidence of 825-827, 833, 840
 - multiple causes, 837
 - postoperative, 832-836
 - postpartum, 830, 832, 836
 - secondary, 869
 - subarachnoid, 868
 - subdural, 870
 - treatment of, 905
 - from vascular rupture, 867-871
 - intracranial hemorrhage, 867-869
- Hemorrhagic states in newborn, 554
- Hemorrhoids during pregnancy, 629-630
- Hepatic disease
 - acute hepatic necrosis, 886
 - as a cause of maternal mortality, 880, 885-887
 - cirrhosis, 886
 - infectious hepatitis, 886
- Herpes virus in cervix, 317
- High altitude, fetomaternal gas exchange at, 52-55
- Histology of cervix, 265-304
 - electron microscopy, 273-292
 - histogenesis of erosions, 348-354
 - histopathology of erosions, 345-346
 - light microscopy, 267-273
 - preparation of specimens, 265-267
- Hormones
 - for incompetent cervix, 407, 408
 - in pregnancy, cytologic evaluation, 574-594
 - therapy, for endometriosis, 714-715
- Hydrocephalus, 454-485
 - associated conditions, 458-464
 - diagnosis, 464-470
 - fetal mortality with, 455
 - incidence, 454-455
 - length of gestation, 456
 - management, 470-483
 - maternal age in, 455
 - postpartum care, 483
 - presentation with, 456-458
- Hypaque for diagnosis of urinary stress incontinence, 135
- Hyperemesis
 - gravidarum, hypnosis in, 504-505
 - during pregnancy, 614-615
- Hyperplasia, cervical, during pregnancy, 387-390

- Hypertension, 883-884
 Hypertensive drugs, and secondary hemorrhage, 869-870
 Hypnoanalgesia and hypnoanesthesia. *See* Hypnosis for pelvic pain
 Hypnoanalysis, 774
 Hypnosis, 486-513
 for abortion, 505, 508-509
 for amenorrhea, 408
 analgesia, 499-504
 autohypnosis, 502-504, 769-774 *passim*
 contraindications, 490
 dehypnotizing, 503-504
 depth of, 497-499
 dissociation, 499
 for dysmenorrhea, 507, 770
 for frigidity, 506
 glove anesthesia, 499, 764-774 *passim*
 in gynecology, 505-510
 history of, 486-487
 in hyperemesis gravidarum, 505-506
 induction, 494-497
 eye-fixation, 496
 hand levitation, 496-497
 monoideistic imagery, 495-496
 progressive muscular relaxation, 496
 visual imagery, 497
 for infertility, 506
 for insomnia, 507
 nature of, 763-765
 for nutritional disorders, 507
 patient preparation, 491-493
 for pelvic pain, 763-775
 contraindications, 767-768
 handling the patient, 768-769
 in malignancy, 739-740
 techniques, 769
 treatment, 769
 symptom removal, 769-770
 symptom substitution, 770-771
 symptom transformation, 771-772
 other types, 772-773
 for ptialism, 509
 suggestibility tests, 493-494
 and suggestion, 763-765
 Yoga hypnosis, 773
 Hysterectomy
 abdominal, 962
 radical, 947, 951-952, 954, 960-961, 971, 974
 abortion preceding, 955
 with bilateral lymphadectomy, 970, 972
 Catholic church opinion on, 954
 Hysteroqram in diagnosing incompetent cervix, 406-407
 Hysterostomatomy, 422
 Illegitimacy, social implications of, 691-693
 Incompetent cervix, 403-412
 complications, 409-410
 diagnosis, 405-407
 etiology, 404-405
 incidence, 404
 symptoms, 406
 treatment, 407-409
 Incontinence, urinary, 121-247
 Indirect obstetric deaths, miscellaneous causes of, 890
 Infection
 cervical, 316-333. *See also* specific organisms
 intrapartum puerperal, 856
 treatment of, 856-859
 intrauterine, 856
 in labor, 857
 treatment, 857-858
 maternal deaths from, 851-860, 907
 decline in, 852
 incidence of, 851-852
 in newborn, 559-560
 maternal antibodies, effects of, 559-560
 "tissue immunity," 560
 non-obstetric, 859
 postpartum puerperal, 856
 treatment of, 856-859
 types of, 852-860
 in urinary, incontinence, 128, 149-152
 Infectious hepatitis, as cause of maternal mortality, 859, 886
 "In-and-out" type of anesthesia, 876
 Infertility, hypnosis in, 506
 Inflammation, pelvic pain in, 699
 Insomnia
 hypnosis in, 507
 in pregnancy, 636

- Intracranial hemorrhage, 867-870
 Intraspinous alcohol injection for pelvic pain. *See* Subarachnoid alcohol
 Intrauterine growth and development of baby. *See* Fetus, development of
 Intrauterine infection, 856-857
 management in labor, 857
 Intrauterine manipulations, as cause of air embolism, 864
 Intravaginal douching, during pregnancy, 864, 865
 Invasive cancer, 944
 Involuntary urine loss, 126-127
 Iron needs in pregnancy, 606
- M**aryopyknotic index in pregnancy, 580-581
 Kidneys of newborn, 556
 metabolic acidosis, 556
- L**abor
 deaths during, 866
 effect of emotions on, 660-662
 prolonged, 858
 Laboratory examination, prenatal, 571-572
 blood counts, 571
 cytology, 572
 urinalysis, 571
 X-ray, 571
Lactobacillus in cervix, 324-325
 Lash procedure for incompetent cervix, 407
 Leg cramps in pregnancy, 635
 Leukocytes, neonatal, 553
 Light microscopy, cervical, 267-273
 endocervix, 270-273
 portio externa, 267-270
 Lymphocytes, neonatal, 553-554
 Lymphogranuloma inguinale, cervical, during pregnancy, 396
 Lymphogranuloma venereum, cervical, 377
- M**alformed infant, social implications of, 690-691
 Malignancy. *See* Cancer
 Marshall-Marchetti-Krantz procedure, 139, 141
 for stress incontinence, 155, 191, 195-205
 postoperative course, 198-200
 pregnancy after, 201-202
 results, 201
 technique, 198
 and urethral sling operation, 216-217
 Maternal mortality, 823-930
 avoidance of, 915-917
 by management of obstetric emergencies, 916-917
 by physician contribution, 915
 decline in, 825, 826-827, 840, 900-901, 902, 909, 911
 reasons for, 826, 827
 due to diagnostic errors, 840
 direct obstetric causes of, 904-907
 abortion, 833
 anesthesia, 831
 hemorrhage, 825-841, 867-870, 905-906
 infection, 831, 851-860, 907
 toxemia, 831, 906-907
 vascular accidents, 831, 861-873
 eradication of, 917-920
 by corrective measures, 917-920
 by emergency facilities, 919-920
 by hospital institutes, 917
 by improved physical plant, 826, 919
 by nursing education, 917-918
 by physician education, 918-919
 by role of study groups, 919
 due to hemorrhage, 825-841
 incidence of, 825-827
 in Canada, 825-826
 in the United States, 825-826
 variation within country, 825-826
 indirect obstetric causes of, 879-891, 905
 cardiac disease, 879, 880, 881-883
 genital tract tumors, 879, 880, 885
 metabolic disease, 888-890
 miscellaneous causes, 890-891
 vascular disease, 879, 880, 883-884
 during labor, 866
 due to non-obstetric death, 893-899
 major causes of, 896
 prevention of, 915-917
 by management of obstetric emergencies, 916-917

- by physician contribution, 915
- by social measures, 915
- in remote areas, 910
 - case reports, 911-914
- Maternal mortality committees
 - function of, 823, 827-829, 840, 900-909
 - results of studies by, 828-832, 904, 909
- Meconium
 - in amniotic sac, 555
 - in fetal airways, 547
- Medical history taking, prenatal, 563-566
 - family history, 565-566
 - congenital defects, 565-566
 - menstrual history, 564
 - obstetric history, 564-565
 - in prenatal examination, 563-566
- Membrane rupture, pelvic pain in, 699
- Membrane rupture, premature, 856-857
- Meningocele with hydrocephaly, 458
- Menopausal symptoms, 955-956
- Mersilene in urethral sling operation, 211-218 *passim*
- Metabolic disease, as cause of maternal mortality, 880, 888-890
 - Addison's disease, 889
 - Adrenal dysfunction, 889
 - Cushing's syndrome, 889
 - diabetes mellitus, 888-889
 - thyroid dysfunction, 889-890
- Metabolism
 - acid-base, in fetomaternal blood, 48-49
 - fetal, 551
 - acidosis, 556
 - body temperature, 551
 - gas exchange, fetomaternal, 47-56
 - placental
 - nucleic acids in, 57-61
 - methods of study, 57-58
 - purines, 58, 59
 - pyrimidines, 58-60
- Metallic-bead chain technique, in analysis of stress incontinence, 156, 170-180
- Microbiology of cervix, 316-333
- Microscopy
 - electron. *See* Electron microscopy
 - light. *See* Light microscopy
- Micturition, physiology, 134-135, 147-149
- Milk ingestion during pregnancy, 616-617
- Mitral stenosis, and maternal mortality, 882
- Miyagawanella lymphogranulomatis* in cervix, 318-319
- Morning sickness, 627-628
- Mucus, cervical, 305-311
- Multiple-punch biopsy. *See* Step biopsy.
- Muscle, contraction of
 - pelvic pain in, 699
 - placental, 26-38
- Mycoplasma hominis* in cervix, 319
- N**abothian cysts in pregnancy, 395
- Nausea and vomiting in pregnancy, psychosomatic, 654-656
- Negative intravenous pressure, 864
- Neisseria* in cervix, 320-321
- Neonatal blood count, 552-554
- Neurectomy for dysmenorrhea, 742
- Niacin in pregnancy, 607
- Non-obstetric death, 893-899
 - decrease in, 897-899
 - due to indirect obstetric cause, 893
 - due to non-related cause, 893
 - rationale of, 893-894
- Nonseptic thrombus, 861
- Norethynodrel for endometriosis, 714
- Nucleic acids, placental, 57-61
 - method of study, 57-58
 - purines, 58, 59
 - pyrimidines, 58-60
- Nutrition
 - disorders of, hypnosis in, 507
 - in pregnancy, 605-618
 - anemia, 617
 - calcium, 606
 - calories, 607-610
 - food plan, 610-612
 - hyperemesis, 614-615
 - iron, 606
 - milk, 616-617
 - miscellaneous factors, 615-616
 - obesity, 608-609
 - protein, 604-606
 - psychologic factors, 613-614
 - sodium restriction, 612-613
 - vitamins, 606

- besity during pregnancy, 608-609
- Obstetric deaths, preventable, 840
- Oral health during pregnancy, 619-626
 - fetal, 625-626
 - maternal, 619-625
 - caries, 619-621
 - gingival, 619-621
 - epulis, 623
 - hypertrophy, 623
- Orthopedic causes of pelvic pain, 706
- Osmosis across chorio-amnion, 42-44
- Ovary
 - malignant, pain in, 737
 - rupture of, pain in, 705
- Oxygen
 - fetal
 - administration
 - in artificial respiration, 548
 - dangers of, 546
 - supply, 50-52, 544-549
 - in uterine blood, 52
- P**ain
 - of childbirth, 671-675
 - pelvic, 695-790
 - acute, 698-708
 - denervation, 742-753
 - diagnosis of, 765-767
 - dysmenorrhea, 718-729, 754-762
 - alcohol injection, 754-762
 - in endometriosis, 709-717
 - hypnosis, 763-775
 - in malignancy, 730-741
 - psychophysiologic aspects of, 765
 - subarachnoid alcohol, 784-788
 - sympathectomy, 776-784
 - round ligament, in pregnancy, 638
- Papanicolaou smear
 - of cervix, 338, 360-361, 945, 955-956
 - in premarital examination, 541
- Paracentesis for hydrocephaly, 481-482
- Pathology, placental, 96-109
- Pelvic pain, acute, 698-708
 - differential diagnosis, 701-708
 - adnexal torsions, 705-706
 - disorders of pregnancy, 702-704
 - gastroenterologic causes, 707-708
 - orthopedic causes, 706
 - ovarian rupture, 705
 - salpingitis, 704-705
 - urologic causes, 707
 - pathogenesis, 698-700
 - patient's history, 700-701
- Perineometer in treatment of stress incontinence, 229-231
- Peritoneum, contamination of, pelvic pain in, 699-700
- Peritonitis, and maternal mortality, 890
- pH of cervical mucus, 307
- Phenol injection for pain in pelvic malignancy, 738
- Physical examination
 - premarital, 539-543
 - prenatal, 562-572
 - abdomen, 568
 - general, 566-567
 - head and neck, 567
 - pelvis, 568-569
 - rectal-vaginal, 571
 - thorax, 567-568
 - vagina, 569-570
- Pica during pregnancy, 628
- Placenta, 17-119
 - abnormalities, 97-104
 - degenerative, 101-104
 - developmental, 97-100
 - of implantation, 100-101
 - accreta, 100
 - blood, retrieval of, for fetus, 551
 - circulation
 - fetal
 - anatomy of, 17-18
 - hemodynamics of, 18
 - maternal, 18
 - anatomy, 18-19
 - hemodynamics, 19-24
 - muscle contractility in, 35-37
 - in rhesus monkey, 22, 23, 24
 - circumvallata, 98
 - decidual degeneration of, abnormal, 103
 - diabetes, 107
 - and diseases, 104-108
 - in erythroblastosis, 106-107
 - estrogens in, 63
 - examination, 96-97
 - fetomaternal exchange, 17-25, 39-46
 - gas, 47-56
 - animal experiments in, 47-48
 - carbon-dioxide tension in, 49-50
 - fetal oxygen, 50-52
 - at high altitudes, 52-55

- uterine oxygen, 52
- fibromuscular formations in, 27
- infarcts, 101-102
- infections, 104-106
- insufficiency, 107-108
- intervillous thrombosis in, 102-103
- marginata, 98
- membranacea, 97
- nucleic acid metabolism in, 57-61
 - purines, 58, 59
 - pyrimidines, 58-60
- pathology, 96-109
- pool, aspiration of, 40
- premature separation of, 103-104
- previa, 832, 834, 885
 - and anencephaly, 433
 - as cause of maternal mortality, 834
 - and hydrocephaly, 463
- smooth muscle, contractile properties of, 26-38
- steroids
 - conjugation and hydrolysis of, 68-69
 - synthesis in placenta, 76-95
 - aldosterone, 87-88
 - androgens, 83-84
 - estrogens, 84-86
 - glucocorticoids, 87-88
 - progesterone, 80-83
 - transfer, 65-68
 - mechanism of, 71-72
- succenturiata, 97-98
- tissues, description of, 35
- totalis, 97
- in toxemia of pregnancy, 106
- trophoblast, 110-119
- tumors, 108
- twin, 99-100
- Pneumonia, as cause of maternal death, 859, 887
- Poliomyelitis, as cause of maternal death, 859-860
- Polyhydramnios and anencephaly, 433-435, 437, 444, 448
 - with hydrocephaly, 458-461, 464
- Polyps, cervical, during pregnancy, 400
- Porro cesarean section, 953
- Portio externa of cervix electron microscopy of, 273-284
 - light microscopy of, 267-270
- Postmaturity and anencephalus, 435
- Preeclampsia, 906
 - psychosomatic, 656-658
- Pregnancy
 - air embolism in, 864-866
 - anencephalic, 429-453
 - and cerebral artery rupture, 868-869
 - with cervical atypism, 362-363
 - cervical changes in, 381-402
 - complicated by ovarian cancer, 990-991
 - deaths associated with, 829
 - disorders, pelvic pain in, 702-704
 - effect on tumor growth, 1032-1033
 - following previous malignancy, 1026-1036
 - frequency, 1026-1027
 - management, 1029-1030
 - recognition, 1027-1029
 - hydrocephalic, 454-485
 - hypnosis, 487-505
 - advantages, 487-489
 - indications, 490-491
 - limitations, 489-490
 - method, 491-498
 - incompetent cervix during, 403-412
 - prenatal care, 535-693, 847-848
 - prognosis through cytohormonal evaluation, 592-594
 - social implications, 685-693
 - tubal, 885
- Premarital examination, 539-543
 - elements included, 540-541
 - history-taking, 541
 - objectives, 539
 - Papanicolaou smear, 541
 - physical examination, 541
 - sexology discussion, 542-543
- Prematurity, social problems of, 689
- Prenatal care, 535-693, 847, 862-863
 - common problems, 627-638
 - cytologic screening, 573-603
 - emotional aspects, 639-668
 - fetal development, 544-561
 - nutrition, 605-618
 - oral health, 619-626
 - premarital examination, 539-543
 - prenatal examination, 562-572
 - psychologic training, 669-684
 - social implications, 685-693
- Prenatal examination, 562-572
 - laboratory, 571-572

- medical history, 563-566
 - family, 565-566
 - congenital defects, 565-566
 - menstrual, 564
 - obstetric, 564-565
 - physical, 566-571
- Preventable obstetric deaths, responsibility for, 829, 830, 831
- Prickle-cell layer in cervical epithelium, 282, 292
- Progesterone
 - for membranous dysmenorrhea, 727
 - placental metabolism of, 81-82
 - placental synthesis of, 80-83
 - clinical implications, 82-83
 - role in maintaining pregnancy, 82
- Prolapse of uterus, and stress incontinence, 189-190
- Protein
 - in cervical mucus, 308
 - needs, in pregnancy, 604-606
- Protozoa (*Trichomonas vaginalis*) in cervix, 327-328
- Psychogenesis of dysmenorrhea, 720-721
- Psychogenic abortion, hypnosis in, 505
- Psychologic aspects of food in pregnancy, 613-614
- Psychophysical training, prenatal, 669-684
- Psychosomatic disorders of pregnancy, 652-662
- Ptosis syndrome in stress incontinence, 220-222
- Ptyalism
 - hypnosis in, 509
 - during pregnancy, 628
- Puerperal psychosis, 891
- Pulmonary disease, as cause of maternal mortality, 880, 887-888
 - pneumonia, 887-888
 - tuberculosis, 887
- Pulmonary embolism, and maternal mortality, 862, 895
- Purines, placental, 58, 59
- Purulent meningitis, as cause of maternal death, 859
- Pyrimidines, placental, 58-60
- R**eproductive-tract disease, 879, 880, 885
- Renal disease, 883-884
- Respiration, fetal, 544-549
 - artificial resuscitation, 548
 - mechanical aspiration, 547-548
 - types of, 548-549
- Respiratory depression, during labor, 876
- Retrograde pyelogram, 1022
- Rhesus monkey, placental circulation of, 22, 23, 24
- Riboflavin in pregnancy, 606-607
- Rickettsiales in cervix, 318-319
- "RNP granules" in cervical epithelium, 281-299 *passim*
- Roentgenograms. *See* X-ray
- Ruge and Veit theory of cervical erosions, 348
- Rupture
 - of the aorta, 870-871
 - of cerebral artery, 868-869
 - during pregnancy, 869
 - of membranes, pelvic pain in, 699
 - of uterus, 830, 832, 835-836, 905
 - causes of, 835
 - in hydrocephaly, 473-475
- S**acro-iliac pain during pregnancy, 635-636
- Salivary gland virus. *See* Cytomegalovirus
- Salpingitis, pelvic pain in, 704-705
- Salt in pregnancy diet, 612-613
- Schiller's test, 334, 339, 359
- Schistosomes (helminths) in cervix, 328-329, 371-373
- Sexology in premarital examination, 542-543
 - books for, 543
- Sexual desire during pregnancy, 648-649
- Sickle cell disease
 - and maternal mortality, 890-891
- Sims-Hühner test, 313-314
- Sling, urethral, for stress incontinence, 206-219
 - complications, 217-218
 - history, 209-211
 - indications, 206-208
 - results, 216-217
 - technique, 211-215
- Smooth muscle, placental
 - in chorion and villi, 27-28
 - contractile properties of, 26-38

- Social implications of pregnancy, 685-693
 family attitudes, 685-688
 medical problems, 688-691
 the single woman, 691-693
- Sodium restriction during pregnancy, 612-613
- Spina bifida
 with anencephalus, 431
 with hydrocephalus, 458, 466
- Spinnbarkeit of cervical mucus, 310
- Spirochaetales* (*Treponema pallidum*) in cervix, 326
- Staphylococcus* in cervix, 319-320
- Step-biopsy of cervix, 341, 361
- Sterilization, 855
- Steroids
 in amniotic fluid, 69-71
 fetomaternal, 62-75
 biochemistry, 64-65
 routes of exchange, 63
 placental, 65-68
 placental synthesis
 aldosterone, 87-88
 androgens, 83-84
 estrogens, 84-86
 glucocorticoids, 87-88
 progesterone, 80-83
 routes of synthesis, 76-78
 varieties of, 79
- Stilbestrol for dysmenorrhea, 725
- Stimulants, respiratory, for apneic infant, 546-547
- Streptococcus* in cervix, 320
- Stress incontinence, 128-129, 154-177
 classification, 196-197
 definition, revised, 160-162
 diagnosis, 162-175, 197-198
 history-taking, 162-164, 165
 physical examination, 164-175
 clinical tests, 167
 cystometry, 168-170
 urethrocystography, 170-175
 vaginal, 165-167
 etiology, 135-139, 196
 nonsurgical treatment, 220-235
 accessory treatment, 234-235
 education of patient, 225-234
 examination, 224-225
 exercises, 227-231
 pelvic relaxation clinic, 232-233
 prognostic factors, 223-224
 ptosis syndrome, 220-222
 results, 233-234
 review of previous work, 155-160
 surgery
 suprapubic
 urethral sling, 206-219
 vesicourethral suspension, 195-205
 vaginal, 178-194
 urethra in, 178-181
 "Stress" test for urinary incontinence, 197-198
- Striae gravidarum, 638
- Subarachnoid alcohol for pelvic pain, 784-789
 indications, 784
 rationale, 784-786
 technique, 786-788
- Subarachnoid hemorrhage, 868
- Subdural hemorrhage, 870
- Suggestibility tests in hypnosis, 493-494
- Surgery
 cervical, 413-423
 anatomy, 413-414
 atresia and stenosis, 415
 for incompetent cervix, 407, 408
 for polypoid tumors, 415
 in dysmenorrhea, 725-726
 in endometriosis, 715
 for pelvic pain: sympathectomy and chordotomy, 784
 for stress incontinence
 suprapubic, 195-205, 206-219
 urethral sling, 211-216
 vesicourethral suspension, 198
 vaginal, 178-194
 vaginal, 954-955
- Suspension, vesicourethral, for stress incontinence, 195-205
 history of, 195-196
 postoperative course, 198-200
 pregnancy after, 201-202
 results, 201
 technique, 198
- Sympathectomy for pelvic pain, 776-784
 anatomy, 776-778
 indications, 779-780
 physiology, 778-779
 technique, 780-784
- Synthesis of steroids in placenta, 76-95
- Syphilis, cervical, 377-378

- Talipes equinovarus**
 with anencephalus, 431
 with hydrocephalus, 458, 466
- Teeth in pregnancy, 619-626. See also**
 Oral health
- Temperature, fetal, 551**
- Thiamine in pregnancy, 606**
- Thrombophlebitis in pregnancy, 635**
- Thrombosis, of cerebral veins, 871**
 of coronary artery, 871-872
- Thyroid disease, maternal, effects on**
 fetus, 558
 and pregnancy, 889-890
- Time distortion (hypnotic), 501**
- Tonofibrils in cervical epithelium, 282,**
 284, 292
- Tonofilaments in cervical epithelium,**
 282, 283, 285, 289, 292
- Total (continuous) incontinence, 131-**
 132, **236-245**
 examination, 236-237
 ureterovaginal fistula, 243-246
 vesicovaginal fistula, 237-243
- Toxemia**
 age incidence, 844
 as cause of maternal mortality, **842-**
849, 883, 906-907
 admittance to hospital for, **845-847,**
 849
 early signs of, **842-843**
 management of, **842**
 and secondary hemorrhage, **869**
 and weight control, **847-848, 849**
- Trachelectomy, 416-418, 419**
- Trachelorrhaphy, 415-416, 417**
 delay in, **832**
- Treponema pallidum* in cervix, 326**
- Trophoblast, 110-119**
 function, **111-112**
 histology, **110-111**
 tissue culture, **112-118**
 in animals, **116-118**
 methods, **112-113**
 results, **113-116**
- Tuberculosis**
 as a cause of maternal death, **859**
 of cervix, **374-375**
 during pregnancy, **396, 887**
 social problems of, **689**
- Tumor growth**
 effect of pregnancy on, **1032-1033,**
1035
 prognosis, **1033**
- Tumors of placenta, 108**
- Twins**
 and anencephaly, **432**
 and hydrocephaly, **458, 460**
- Umbilical cord, blood samples from, in**
 fetomaternal exchange, **40**
- Ureterovaginal fistula in total urinary in-**
 continence, **243-246**
 presurgical treatment, **243**
 surgery for, **244-245**
- Ureters, catheterization of, during preg-**
 nancy, **1019**
- Ureters**
 injury to, **957-958**
 section and repair of, **958-959**
- Urethra**
 anatomy, **133-134, 178-180**
 measurement, **180-181**
- Urethrocystography in stress incontine-**
 nce, **170-175**
 metallic-bead chain technique, **170-**
175
- Urethrocystometry in stress incontinence,**
157
 direct, **158, 159, 160, 161**
 electronic, **157-158**
- Urethropexy for stress incontinence, 172-**
175
- Urge incontinence, 128, 146-153**
 etiology, **149-152**
 congenital, **149-150**
 diabetes, **151**
 drugs, **151**
 infection and obstruction, **149**
 neurogenous, **150**
 pregnancy, **151**
 tumor, **151**
 examination, **146-147**
 treatment, **152**
- Urinary control in child, 141-145**
 development of, **133-145**
- Urinary incontinence, 121-247**
 anatomy, female urethra, **133-134**
 classification, **125**
 continuous (total), **131-132, 236-245**
 congenital, **131**

- neurogenous, 132
traumatic, 131
diagnosis, Hypaque in, 135
dribbling, 129-131
enuresis, 128, 139-145
treatment, 143-145
exercise for, 223-224
involuntary urine loss, 126-127
physiology of micturition, 134-135
in pregnancy, 632-633
stress, 128-129, 154-177, 178-194, 195-205, 206-219, 220-235
types of, 125-132
urge, 128, 146-153
Urinary-tract disease
as cause of obstetric death, 880
Urologic causes of pelvic pain, 707
Uterus
incarceration of corpus during pregnancy, 637
malignant, pain of, 736
paracervical denervation for pain relief, 742-753
Vagina, cytologic smears, in pregnancy, 574-577
Vaginal surgery for stress incontinence, 178-194
indications and contraindications for, 181
postoperative care, 185-188
preparation, 182
results, 188-192
technique, 182-184
Vaginitis in pregnancy, 633-634
Varicosities in pregnancies, 634-635, 862
and maternal mortality, 861-873
increase in, 872
Vascular disease, and maternal mortality, 879, 880, 883-884
Venereal disease in pregnancy, social problems of, 689
Venous flow in placental circulation, 35-36
Vernix in fetal airways, 547
Vertigo during pregnancy, 636
Vesicovaginal fistula in total urinary incontinence, 237-243
acute, 238
chronic, 239
cortisone in, 237-238
nonsurgical treatment, 239-240
results, 241-242
surgery, 240
Vibrio in cervix, 323-324
Villus, smooth muscle in, 30-32
Vitamin
-A in pregnancy, 606
-D in pregnancy, 607
-K, prenatal administration, 554
requirements in pregnancy, 606
Vulva, malignant, pain of, 736-737
Vulvectomy, 929, 930, 932, 936
Warts, cervical, 370-371
Weight control
and toxemia, 847-848, 849
Wilm's tumors, associated with pregnancy, 1010, 1015, 1020
X-rays, 951-952
for bladder cancer, 1019
for breast cancer, 994
for cancer of the vulva, 931, 932
dental, during pregnancy, 624
in diagnosis of anencephaly, 440-445
in diagnosis of hydrocephaly, 466-470
for ovarian cancer, 988-989
placental circulation of rhesus monkey, 22, 23, 24
stress incontinence, 156, 189-190, 191
therapy, for pain in pelvic malignancy, 739
urge incontinence, 147-149
vesicourethral suspension for stress incontinence, 203
Yoga hypnosis, 773